SOUTHERN NEVADA BUILDING OFFICIALS REGIONAL STANDARDS

B-110 6-24-08 PG. 1 OF 1

SWIMMING POOL SITE DETAILS

Clark County

Dept. of Develop. Services 4701 W Russell Rd Las Vegas, NV 89118 (702) 455-3000

Boulder City


Building Department 401 California Avenue Boulder City, NV 89005 (702) 293-9282


Henderson

Bldg & Fire Safety Dept. 240 Water Street Henderson, NV 89015 (702) 267-3650

Las Vegas

Building & Safety Dept. 731 S. 4th Street Las Vegas, NV 89101 (702) 229-6916





SELF LATCHING. THIS GATE SHALL OPEN OUTWARD. GATE LATCHES SHALL BE AT LEAST 4'
ABOVE EXTERIOR GRADE, MOUNTED ON THE
INSIDE,AND NOT WITHIN 6" OF THE TOP OF
THE GATE. THE GATE SHALL BE A MIN. 5'
HIGH. THE LATCH SHALL BE PROTECTED
FROM ACCESS FROM THE EXTERIOR BY A
RIGID PANEL 20" SIDES AND BOTTOM OF
THE LATCH.TO THE

Mesquite

Building Department 10 East Mesquite Blvd. Mesquite, NV 89027 (702) 346-2835

North Las Vegas

Building Department 2240 Civic Center Drive N. Las Vegas, NV 89030 (702) 633-1577

Pahrump

Regional Planning District 1210 E. Basin Avenue, Suite #1 Pahrump, NV 89060 (775) 751-3373